# Computer Networks

**SET-23** 

By

#### BHARAT BHUSHAN @ B. K. NAL

Assistant Professor (Computer Science)
Director, BSTI, Kokar

&

#### **SUPRIYA BHARATI**

Assistant Professor (Computer Science) Asst. Director, BSTI, Kokar



## **Buddha Science & Technical Institute**

Kokar, Ranchi-834001, Jharkhand, India www.bharatsir.com

	many layers are present in the Internet ocol stack (TCP/IP model)?
A.	,
В.	
Б. С.	
D.	10
	cal or logical arrangement of network is
<b>2.</b> 1 11 <b>y</b> 31	car or logical arrangement of network is
	topology
В.	routing
	networking
(//	control
( )	ial cable consists of concentric copper
6316	uctors.
A.	
В.	2 7 5 6 6
C.	3 5 7 7 7 7 3 7
	4 2 2 2 2
4. Bits c	an be sent over guided and unguided media as
_1	og signal by
A.	digital modulation
В.	amplitude modulation
C.	
D.	phase modulation
	mission control protocol
A.	is a connection-oriented protocol
В.	uses a three way handshake to establish a
_ •	connection
C.	receives data from application as a single

stream

- D. all of the mentioned
- 6. Which of the following routing algorithms can be used for network layer design?
  - A. shortest path algorithm
  - B. distance vector routing
  - C. link state routing
  - D. all of the mentioned
- 7. ICMP is primarily used for \_
  - A. error and diagnostic functions
  - B. addressing
  - C. forwarding
  - D. routing
- 8. Which of the following is a transport layer protocol?
  - A. stream control transmission protocol
  - B. internet control message protocol
  - C. neighbor discovery protocol
  - D. dynamic host configuration protocol
- 9. A list of protocols used by a system, one protocol per layer, is called\_\_\_\_\_
  - A. protocol architecture
  - B. protocol stack
  - C. protocol suite
  - D. protocol system
- 10. Which of the following terms is not associated with DSL?
  - A. dslam
  - B. co
  - C. splitter
  - D. cmts

11.	ONT	is	connected	to	splitter	using	
-----	-----	----	-----------	----	----------	-------	--

- A. high speed fibre cable
- B. hfc
- C. optical cable
- D. twisted pair cable

### 12. The number of layers in ISO OSI reference model is

- A. 4
- B. 5
- C. 6
- D. 7

# 13. Which address is used to identify a process on a host by the transport layer?

- A. physical address
- B. logical address
- C. port address
- D. specific address

## 14. Which of the following tasks is not done by data link layer?

- A. framing
- B. error control
- C. flow control
- D. channel coding

## 15. Which of the following is the multiple access protocol for channel access control?

- A. csma/cd
- B. csma/ca
- C. both csma/cd & csma/ca
- D. hdlc

16. WA	N stands for
A.	world area network
В.	wide area network
C.	web area network
D.	web access network
<b>17.</b> The	state when dedicated signals are idle are
call	ed
A.	death period
В.	poison period
C.	silent period
D	stop period
18. Pro <sub>l</sub>	pagation delay depends on
Α.	packet length
В.	transmission rate
C.	distance between the routers
≥ D.	speed of the cpu
19. Whi	ch connector does the STP cable use?
A.	bnc
B.	rj-11
C.	rj-45
D.	rj-69
<b>20.</b> Whi	ch of the following is a form of DoS attack?
A.	vulnerability attack
В.	bandwidth flooding
C.	connection flooding
D.	all of the mentioned
21. Terr	estrial radio channels are broadly classifed into
	groups.
A.	2
В.	3

- C. 4
- D. 1

## 22. Which of the following is not an application layer service?

- A. network virtual terminal
- B. file transfer, access, and management
- C. mail service
- D. error control

#### 23. E-mail is

- A. loss-tolerant application
- B. bandwidth-sensitive application
- C. /elastic application
- D. none of the mentioned

## 24. Electronic mail uses which Application layer protocol?

- A. smtp
- B. http
- C. ftp
- D. sip

# 25. The HTTP request message is sent in part of three-way handshake.

- A. first
- B. second
- C. third
- D. fourth

				Α		20	T.	
ANSWER								
1.	A	188	11.	C	L	21.	B	
2. /	Α	P	12.	D 0	1/1	22.	D	
3.	В		13.	O.C.	10	23.	Ĉ	
4.	mA L	7	14.	D	17	24.	Α	
5.	D	L	15.	100p		25.	C	
6.	D	4	16.	В			7/5	
7.	A	30/	17.	С				
8.	A	11	18.	RSCI				
9.	В		19.	C	N.			
10.	D		20.	D				