# Computer Networks

**SET-40** 

By

#### BHARAT BHUSHAN @ B. K. NAL

Assistant Professor (Computer Science)
Director, BSTI, Kokar

&

#### **SUPRIYA BHARATI**

Assistant Professor (Computer Science) Asst. Director, BSTI, Kokar



### **Buddha Science & Technical Institute**

Kokar, Ranchi-834001, Jharkhand, India www.bharatsir.com

## 1. Which of the following is true with respect to the delay in datagram networks?

- A. delay is greater than in a virtual circuit network
- B. each packet may experience a wait at a switch
- C. delay is not uniform for the packets of a message
- D. all of the mentioned

#### 2. A proxy firewall filters at

- A. physical layer
- B. data link layer
- C. network layer
- D. application layer

## 3. Which of the following networks supports pipelining effect?

- A. circuit-switched networks
- B. message-switched networks
- C. packet-switched networks
- D. stream-switched networks

#### 4. ICMP is used in \_\_\_\_\_

- A. ping
- B. traceroute
- C. ifconfig
- D. both ping & traceroute

#### 5. Ethernet frame consists of \_\_\_\_\_

- A. mac address
- B. ip address
- C. default mask
- D. network address

6. High speed ethernet works on	
A. coaxial cable	
B. twisted pair cable	
C. optical fiber	
D. unshielded twisted pair cable	
7. A wireless network interface controller can work in	
A infractructure made	
A. infrastructure mode	
B. ad-hoc mode	
C. both infrastructure mode and ad-hoc mode	
D. wds mode	
8. What is WPA?	
A. wi-fi protected access	
B. wired protected access	
C. wired process access	
D. wi-fi process access	
9. The size of an IP address in IPv6 is	
A.\ 32 bits	
B. 64 bits	
C. 128 bits	
D. 265 bits	
10. An interconnected collection of piconet is called	
A. scatternet	
B. micronet	
C. mininet	
D. multinet	
11. In a piconet, one master device	
A. can not be slave	

can be slave in another piconet

В.

D.

no media stream

Α.	can be slave in the same piconet
B.	can be master in another piconet
12. WiMAX provides	
A.	simplex communication
В.	half duplex communication
C.	full duplex communication
D.	no communication
13. WiMAX provides	
A.	voip services
В.	iptv services
C,	both voip and iptv services
D.	no iptv services
14. The	path layer of SONET is responsible for the
mov	vement of a signal
Α.	from its optical source to its optical
21	destination
В.	across a physical line
Ç.	across a physical section
D.	back to its optical source
15. A ur	nidirectional path switching ring is a network
with	1 RSTI
A.	one ring
В.	two rings
C.	three rings
D.	four rings
16. An F	RTP session is established for
A.	each media stream
B.	all media streams

some predefined number of media streams

#### 17. An RPC (remote procedure call) is initiated by the

- A. server
- B. client
- C. client after the sever
- D. a third party

#### 18. A remote procedure is uniquely identified by \_\_\_\_

- A. program number
- B. version number
- C. procedure number
- D. all of the mentioned

## 19. At which two traffic layers do most commercial IDSes generate signatures?

- A. application layer and network layer
- B. network layer and session layer
- C. transport layer and application layer
- D. transport layer and network layer

#### 20. A Link Control Protocol (LCP) is used for

- A. establishing, configuring and testing the datalink connection
- B. establishing and configuring different network-layer protocols
- C. testing the different network-layer protocols
- D. provides for multiplexing of different networklayer protocols

## 21. EIGRP sends a hello message after every \_\_\_\_seconds.

- A. 5 seconds (lan), 60 seconds (wan)
- B. 5 seconds (lan), 5 seconds (wan)
- C. 15s

- D. 180s22. EIGRP uses the \_\_\_\_\_ algorithm for finding shortest path.
  - A. spf
  - B. dual
  - C. linkstat
  - D. djikstra's
- 23. Ping command works on which protocol?
  - A. ICMP
  - B. TCP
  - C. IP
  - D. UDP
- 24. From the options below, which suits best for MODEM?
  - A. a device that modulates an analog carrier signal to encode digital information
  - B. a device that modulates a digital carrier signal to encode analog information
  - C. a device that modulates an analog carrier signal to decode digital information
  - D. a device that modulates a digital carrier signal to decode analoginformation
- 25. A stream socket provides communications between a client and a server?
  - A. One way
  - B. Two way
  - C. none
  - D. other

