

MCQ JavaScript

SET-2

By

BHARAT BHUSHAN @ B. K. NAL

Assistant Professor (Computer Science)

Director, BSTI, Kokar

&

SUPRIYA BHARATI

Assistant Professor (Computer Science)

Asst. Director, BSTI, Kokar



Buddha Science & Technical Institute

Kokar, Ranchi-834001, Jharkhand, India

www.bharatsir.com

1. JavaScript script type is identified by the parameter type= _____.
 - A. "text/vbscript"
 - B. "text/javascript"
 - C. "text/html"
 - D. "text/plain"
2. JavaScript language is identified by the parameter language= _____.
 - A. "javascript"
 - B. "vbscript"
 - C. "vba"
 - D. "java"
3. JavaScript complies with _____ standard.
 - A. Indian
 - B. British
 - C. ASCII
 - D. ECMA-262 & ISO/IEC 16262
4. _____ statement in JavaScript helps to evaluate any mathematical string at runtime.
 - A. value
 - B. eval
 - C. calc
 - D. cal
5. Method is a function bound to _____.
 - A. a procedure
 - B. a library
 - C. a script
 - D. an object
6. The system of notations used to effectively process string related operations is called _____.

- A. impression
- B. parser
- C. regular expression
- D. concatenation

7. In JavaScript, _____ is used for multiline comments.

- A. `/* ... */`
- B. `{.....}`
- C. `# ... #`
- D. `$ ... $`

8. In JavaScript, _____ is used for single line comments.

- A. `{...}`
- B. `// ...`
- C. `# ... #`
- D. `$ ... $`

9. In JavaScript, keywords/ reserved words _____ be used as variables, labels or function names.

- A. may
- B. should always
- C. can
- D. must not

10. _____ event gets activated when a component loses focus.

- A. `onfocus`
- B. `onblur`
- C. `onclick`
- D. `Onererror`

11. _____ event gets activated when a component gains focus.

- A. onfocus
- B. onblur
- C. onclick
- D. onerror

12. _____ event gets activated when an error occurs during execution of script.

- A. onfocus
- B. onblur
- C. onclick
- D. onerror

13. _____ event gets activated when a component is clicked.

- A. onfocus
- B. onblur
- C. onclick
- D. onerror

14. _____ event gets activated when a key moves down.

- A. onkeydown
- B. onkeyup
- C. onkeypress
- D. onmouseover

15. _____ event gets activated when a key is pressed.

- A. onkeydown
- B. onkeyup
- C. onkeypress
- D. Onmouseover

16. _____ event gets activated when a key moves up.

- A. onkeydown
- B. onkeyup

- C. onkeypress
D. Onmouseover
17. _____event gets activated when mouse moves over a component.
A. onkeydown
B. onmouseout
C. onkeypress
D. onmouseover
18. _____event gets activated when mouse moves out from a component.
A. onmousedown
B. onmouseout
C. onload
D. onmouseover
19. _____event gets activated after loading a script file.
A. onmousedown
B. onmouseout
C. onload
D. onmouseover
20. _____event gets activated when mouse key pressed.
A. onmousedown
B. onmouseout
C. onload
D. onmouseover
21. _____ is the JavaScript data type to handle numbers.
A. Number
B. String

- C. Boolean
- D. null

22. _____ is the JavaScript data type to handle character strings.

- A. Number
- B. String
- C. Boolean
- D. null

23. _____ is the JavaScript data type to handle the results of logical comparisons (true or false).

- A. Number
- B. String
- C. Boolean
- D. Null

24. _____ is the JavaScript data type to handle undefined data types.

- A. Undefined
- B. Object
- C. Number
- D. String

25. _____ is the JavaScript data type to handle objects.

- A. Undefined
- B. Object
- C. Number
- D. String

ANSWER							
1.	B		11.	A		21.	A
2.	A		12.	D		22.	B
3.	D		13.	C		23.	C
4.	B		14.	A		24.	A
5.	D		15.	C		25.	D
6.	C		16.	B			
7.	A		17.	B			
8.	B		18.	B			
9.	D		19.	C			
10.	B		20.	A			