

Web Technology

SET-15

By

BHARAT BHUSHAN @ B. K. NAL

Assistant Professor (Computer Science)

Director, BSTI, Kokar

&

SUPRIYA BHARATI

Assistant Professor (Computer Science)

Asst. Director, BSTI, Kokar



Buddha Science & Technical Institute

Kokar, Ranchi-834001, Jharkhand, India

www.bharatsir.com

1. -----tag is used to define the document body.
 - A. <body>
 - B. <title>
 - C. <head>
 - D. <center>
2. -----tag is used to center align text.
 - A. <body>
 - B. <title>
 - C. <head>
 - D. <center>
3. -----tag is used to give the space in between to word or character .
 - A. < >
 - B. <title>
 - C. <head>
 - D. <center>
4. -----is a high-level scripting language that is synchronous with client-side scripting.
 - A. java script
 - B. php
 - C. oracle
 - D. none of these
5. ----- a versatile language of the front-end that is mainly used to make Web pages interactive and dynamic.
 - A. java script
 - B. php
 - C. oracle
 - D. none of these

6. -----was originally developed to perform client-side functions.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
7. --- a versatile programming language which is specially designed to build interactive web interfaces to make websites look really good.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
8. ----one of the most powerful programming languages used to create interactive effects within web browsers without interacting with the server side.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
9. -----is specifically designed to build interactive web interfaces and create network-specific applications without interacting with the server side.
- A. java script
 - B. php
 - C. oracle
 - D. none of these

10. -----is the scripting language designed primarily for adding interactively to web pages and creating web applications.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
11. A -----scripting is a light weight programming language.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
12. -----is very fast because it can be run immediately within the clientside browser.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
13. -----is relatively simple to learn and implement.
- A. java script
 - B. php
 - C. oracle
 - D. none of these
14. Client side-----does not allow the reading and writing of files.
- A. java script
 - B. php
 - C. oracle
 - D. none of these

15. In HTML, JavaScript code is inserted between----- and `</script>` tags.
- A. `script`
 - B. `VER`
 - C. `TITLE`
 - D. none of these
16. To access an HTML element, JavaScript can use the-----method.
- A. `document.getElementById(id`
 - B. `CONSOLE`
 - C. `COUT`
 - D. none of these
17. -----Is used to show the out put or give message.
- A. `document.write():`
 - B. `printf`
 - C. `COUT`
 - D. none of these
18. For debugging purposes, you can call the ---- method in the browser to display data.
- A. `document.write():`
 - B. `CONSOLE.LOG()`
 - C. `COUT()`
 - D. none of these
19. ----this key word is used to declared the variable in java script.
- A. `document.write():`
 - B. `CONSOLE.LOG`
 - C. `var`
 - D. none of these

20. -----this key word is used to declared the constant in java script.
- A. document.write():
 - B. CONST
 - C. var
 - D. none of these
21. -----it is assignment operator is used to assign value from right hand side to left hand side .
- A. document.write():
 - B. CONST
 - C. =
 - D. none of these
22. -----it is assignment operator is used to not equal value.
- A. document.write():
 - B. CONST
 - C. =
 - D. !==
23. In java script-----are written with quotes. You can use single or double quotes.
- A. document.write():
 - B. STRING
 - C. =
 - D. !==
24. In java script-----items are separated by commas.
- A. document.write():
 - B. STRING
 - C. array
 - D. !==

25. Which type of JavaScript language is ____.

- A. Object-Oriented
- B. Object-Based
- C. Assembly-language
- D. High-level

ANSWER							
1.	A		11.	A		21.	C
2.	D		12.	A		22.	D
3.	A		13.	A		23.	B
4.	A		14.	A		24.	C
5.	A		15.	A		25.	B
6.	A		16.	A			
7.	A		17.	A			
8.	A		18.	B			
9.	A		19.	C			
10.	A		20.	B			